

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	778	(709/239).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 15:39
S2	399	(709/240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 15:39
S3	309	(709/241).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 15:39
S4	0	S1 and @ad < 2003/7/15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:40
S5	2039	"0715"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:40
S6	700	S1 and @ad < "20030715"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:43
S7	53	S6 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 18:42
S8	36	S7 and ((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (route or path or link or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 18:41
S9	343	S2 and @ad < "20030715"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:43

S10	282	S3 and @ad < "20030715"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 18:42
S11	28	S9 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:07
S12	16	S10 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:43
S13	10	S11 and ((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (route or path or link or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:44
S14	10	S12 and ((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (route or path or link or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:06
S15	1975	(370/216-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 17:06
S16	722	(379/221.01-221.04).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 17:07
S17	345	(379/273-274).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/06 17:07
S18	53	S15 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:07
S19	11	S16 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:07

S20	0	S17 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:07
S21	31	S18 and ((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (route or path or link or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:08
S22	5	S19 and ((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (route or path or link or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:46
S23	24	(US-20040010617-\$ or US-20030065816-\$ or US-20020176363-\$ or US-20020078232-\$ or US-20020012320-\$ or US-20070014233-\$ or US-20060268681-\$ or US-20060209682-\$ or US-20050270972-\$ or US-20050088965-\$ or US-20040042402-\$ or US-20030227877-\$ or US-20020167898-\$). did. or (US-7080161-\$ or US-7075932-\$ or US-6981055-\$ or US-6857026-\$ or US-6801502-\$ or US-6728779-\$ or US-6574669-\$ or US-6101543-\$ or US-6400681-\$ or US-6084892-\$ or US-5142570-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/06 18:20
S24	315	((chang\$3 or modif\$4 or reorder\$3 or redirect\$3) near5 (next near hop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 18:42
S25	73	S24 and (polic\$3 and ((rout\$3 or forward\$3) near table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 18:42

S26	49	S25 and @ad < "20030715"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 20:49
S27	2	"20030025304"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 21:10
S28	62	stroller near trailer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 21:11
S29	28	(US-20040010617-\$ or US-20020176363-\$ or US-20020078232-\$ or US-20030065816-\$ or US-20020012320-\$ or US-20060209682-\$ or US-20070014233-\$ or US-20060268681-\$ or US-20050088965-\$ or US-20020167898-\$ or US-20050270972-\$ or US-20040042402-\$ or US-20030227877-\$ or US-20030086422-\$ or US-20020036987-\$ or US-20020176370-\$). did. or (US-7080161-\$ or US-7075932-\$ or US- 6857026-\$ or US- 6728779-\$ or US- 6574669-\$ or US- 6981055-\$ or US- 6801502-\$ or US- 6101543-\$ or US- 7133365-\$ or US- 6400681-\$ or US- 5142570-\$ or US- 6084892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/07 16:43
S30	5	S29 and (lsa)	US-PGPUB; USPAT	OR	ON	2007/03/07 17:19
S31	5	S30 and (purg\$2 or delet\$3 or remov\$3)	US-PGPUB; USPAT	OR	ON	2007/03/07 17:19

S32	1	Isa and (router\$1) same (next near hop) and (delet\$3 or purg\$3 or remov\$3) near5 ((non near select\$2) or (low near priority) or ((fail\$2 or invalid) near link))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:06
S33	1	Isa and ((router\$1) same (next near hop)) and (delet\$3 or purg\$3 or remov\$3) near5 ((non near select\$2) or (low near priority) or ((fail\$2 or invalid) near link))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:05
S34	1	Isa and (router\$1) same (next near hop) and (delet\$3 or purg\$3 or remov\$3) near5 ((non near select\$2) or (low near priority) or ((fail\$2 or invalid) near (link or entr\$3 or node \$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:07
S35	1	Isa and (router\$1) and (next near hop) and ((delet\$3 or purg\$3 or remov\$3) near5 ((non near select\$2) or (low near priority) or ((fail \$2 or invalid) near (link or entr\$3 or node \$1))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:08
S36	21	Isa same bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:11
S37	14	Isa same bgp same router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:11
S38	4	S37 and @ad < "20030717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:11

S39	0	S29 and (bgh)	US-PGPUB; USPAT	OR	ON	2007/03/07 17:19
S40	10	S29 and (bgp)	US-PGPUB; USPAT	OR	ON	2007/03/07 17:19
S41	9	S40 and (purg\$2 or delet\$3 or remov\$3)	US-PGPUB; USPAT	OR	ON	2007/03/07 17:19
S42	617	(reorder\$3 or modif\$4) near\$5 ((routing or forwarding) near table \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:24
S43	380	S42 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:26
S44	3	((((desire\$1 or primary) near path) same (alternat\$3 near path)) and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:31
S45	5	((((desire\$1 or primary) near path) and (alternat \$3 near path)) and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:37
S46	56	S43 and qos	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:44
S47	4940	receiv\$3 with ((routing or forwarding) near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:45
S48	31	S46 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:45

S49	2386	receiv\$3 near5 ((routing or forwarding) near table \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 18:45
S50	26	S46 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:06
S51	399	check\$3 with enough with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:07
S52	261	S51 and @ad < "20030121"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:09
S53	11	S52 and (cach\$3 and synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:08
S54	96	S52 and ((overflow or full) with (memory or storage or cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:16
S55	392	compar\$3 with ((file\$1 or content) with size with (storage or memory with cache))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:17
S56	3	S52 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 09:17

S57	4	(promot\$3 or demot\$3 or prioritiz\$3 or (de adj1 prioritiz\$3)) near5 node\$1 near5 ((routing or forwarding) near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:18
S58	9	(promot\$3 or demot\$3 or prioritiz\$3 or (de adj1 prioritiz\$3)) near5 (node\$1 or (next near hop)) near5 ((routing or forwarding) near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:24
S59	1	S58 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:26
S60	2	reorder\$3 near5 (node \$1 or (next near hop)) near5 ((routing or forwarding) near table \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:21
S61	15	(promot\$3 or demot\$3 or prioritiz\$3 or (de adj1 prioritiz\$3)) near5 (node\$1 or (next near hop) or route\$1 or path) near5 ((routing or forwarding) near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:36
S62	5	S61 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:35
S63	3	reorder\$3 near5 ((rout \$3 or forward\$3) near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:34
S64	597	(updat\$3 near5 node \$1) near5 ((rout\$3 or forward\$3) near table \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:35

S65	322	S64 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:35
S66	3	(promot\$3 or demot\$3 or prioritiz\$3 or (de adj1 prioritiz\$3)) near5 (node\$1 or (next near hop)) and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 12:36
S67	11	(re near (order\$3 or arrang\$3 or group\$3 or sort\$3 or classif\$4)) with ((rout\$3 or forward\$3) near table \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 11:09
S68	8	S67 and @ad < "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 17:13
S69	18	(re near (order\$3 or arrang\$3 or group\$3 or sort\$3 or classif\$4)) with ((node\$1 or (intermediate near node \$1) or (next near hop)) near5 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 12:01
S70	3	S69 and @ad < "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 12:02
S71	455	((order\$3 or arrang\$3 or group\$3 or sort\$3 or classif\$4)) with ((node \$1 or (intermediate near node\$1) or (next near hop)) near5 ((rout \$3 or forward\$3) near2 table\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 12:01
S72	267	S71 and @ad < "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:52

S73	0	((re near (prioritiz\$3)) near5 (node\$1)) and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 12:04
S74	2	(re near (prioritiz\$3)) and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:09
S75	2	"20040088431"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:14
S76	2	S75 and (computer near readable near medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:50
S77	18121	(sla or (performance\$1 near metric\$1) or performance\$1) with link\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:52
S78	9956	(sla or (performance\$1 near metric\$1) or performance\$1) near5 link\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:52
S79	5695	S78 and @ad < "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:53
S80	4286	(709/238-240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 13:53
S81	82	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 13:53
S82	13	S81 and (alternate near5 (path\$1 or route \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:28

S83	2	"20040088431"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:14
S84	1	S83 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 15:14
S85	9956	(sla or (performance\$1 near metric\$1) or performance\$1) near5 link\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:28
S86	5695	S85 and @ad < "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:28
S87	4286	(709/238-240).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/30 16:28
S88	82	S86 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:28
S89	13	S88 and (alternate near5 (path\$1 or route \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:28
S90	13	S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:29
S91	4850	(709/238-242).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 13:02
S92	81	S91 and ((load\$1 or bandwidth) same (node \$1) same (sla or polic \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:03

S93	54	S92 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:04
S94	314	S91 and ((load\$1 or bandwidth) same (sla or polic\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:35
S95	219	S94 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:37
S96	165	S95 not S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:38
S97	122	dynamic\$4 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:49
S98	92	(demot\$3 or promot\$3 or priorit\$5 or (re near prioritiz\$3)) and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:52
S99	3557	S91 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:15
S100	252	S91 and ((load\$1 or bandwidth or sla or polic\$3) same (routing near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:18

S101	138	(demot\$3 or promot\$3 or priorit\$5 or (re near prioritiz\$3)) and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:19
S102	101	S101 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:26
S103	21	S102 and bgp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:29
S104	101	(bgp and (sla or qos or polic\$3)) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:38
S105	2061	(bgp and (sla or qos or polic\$3) and link\$1 or node\$1) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:39
S106	93	(bgp and (sla or qos or polic\$3) and (link\$1 or node\$1)) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:39
S107	86	((polic\$3 or qos or sla) with link\$1) same (routing near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:47
S108	13	(alternative near (path \$1 or route\$1)) and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:48

S109	6	S108 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:48
S110	188	"5233604"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:51
S111	168	S110 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:52
S112	835	((polic\$3 or qos or sla) with link\$1) and (routing near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:52
S113	46	S111 and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:52
S114	152	(link\$1 with (sla or polic \$3 or qos)) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:01
S115	45	S114 and (alternat\$3 near2 (path\$1 or rout \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:02
S116	1	(available near1 next near hop) and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:03

S117	1	(available near1 next near hop) and S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:04
S118	20	"6584071"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:00
S119	4	(alternat\$3 near (path \$1 or route\$1)) and S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:01
S120	9	S118 and (link\$1 with (cost or metric or qos or sla))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:28
S121	123	(receiv\$3 with packet \$1) same ((determin\$3 or evaluat\$3) with (link \$1) with (cost\$1 or metric or sla or qos or polic\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:37
S122	51	S121 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:38
S123	25	S122 and (rout\$3 near5 table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 00:39
S124	0	(priorit\$5 or (re near order\$3)) with (next near hop) with (node \$1 near5 (load\$1 or condition\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:37

S125	312	(priorit\$5 or (re near order\$3)) with (node \$1) with (node\$1 near5 (load\$1 or condition\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:37
S126	156	S125 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:37
S127	23	S126 and (rout\$3 near3 table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:38
S128	20	(determin\$3 or evaluat \$3 or check\$3 or calculat\$3) with (condition\$1 or load\$1 or failure\$1) with (next near2 hop near2 node \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:45
S129	8	S128 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:46
S130	9	((determin\$3 or evaluat \$3 or check\$3 or calculat\$3) with (condition\$1 or load\$1 or failure\$1) with (next near5 node\$1)) same (prioritiz\$3 or (re near (order\$3 or prioritiz \$3)) or promot\$3 or demot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:52
S131	5	S130 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:52

S132	0	((condition\$1 or load\$1 or failure\$1) near5 (next near5 node\$1)) with (prioritiz\$3 or (re near (order\$3 or prioritiz\$3)) or promot\$3 or demot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:58
S133	20	((condition\$1 or load\$1 or failure\$1) with (next near5 node\$1)) same (prioritiz\$3 or (re near (order\$3 or prioritiz\$3)) or promot\$3 or demot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:58
S134	11	S133 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 01:58
S135	2	(re near order\$3) with node\$1 with (rout\$3 near table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:05
S136	1637	determin\$3 with (next near hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:10
S137	26	((condition\$1 or load\$1 or failure\$1) near5 (next near5 node\$1)) and S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:11
S138	8	S137 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:11
S139	2488	((re near (order\$3 or calculat\$3 or prioritiz\$3)) or promot\$3 or demot\$3) with node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:25

S140	681	S139 and (node\$1 with (condition\$1 or load\$1 or bandwidth))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:26
S141	357	S140 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:27
S142	12	((modif\$4 or chang\$3) with (rout\$3 near3 table\$1)) and S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 02:27
S143	486	dynamic near5 (routing near4 table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 03:34
S144	296	S143 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 03:34
S145	64	S144 and (node\$1 with (condition\$1 or load\$1 or bandwidth))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 03:34
S146	25	S145 and (alternat\$3 near (path\$1 or route \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/02 03:46
S147	6	"6785277"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:14

S148	2	"20020161917"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:15
S149	2	"20030016679"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:16
S150	7	"6671819"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:17
S151	658	(chang\$3 or modif\$4 or alter\$3) with priorit \$3 with (node\$1 or (next near hop\$1) or (next near node\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:24
S152	392	S151 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:25
S153	4	S152 and (((forward\$3 or rout\$3) near2 table \$1) same (alternat\$3 near5 (route\$1 or path \$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:26
S154	0	((((forward\$3 or rout \$3) near2 table\$1) same (alternat\$3 near5 (route\$1 or path\$1))) same (priorit43 with node\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:29
S155	25	((((forward\$3 or rout \$3) near2 table\$1) same (alternat\$3 near5 (route\$1 or path\$1))) same (node\$1 with (condition\$1 or status))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:29

S156	15	S155 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:29
S157	12895	dynamic with rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:41
S158	31	S152 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:41
S159	5	(alternat\$3 near5 (route \$1 or path\$1)) and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:42
S160	2	"20030039212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:44
S161	60	"6047331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:44
S162	907	(chang\$3 or modif\$4 or alter\$3) with (priorit \$3 or rank\$1 or metric \$1) with (node\$1 or (next near hop\$1) or (next near node\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:46
S163	1	S161 and S162	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:46

S164	8085	(node\$1 with priorit\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:49
S165	535	S157 and S164	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:49
S167	69	S162 and S165	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:49
S168	32	S167 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:49
S169	31	(chang\$3 or modif\$4 or alter\$3) with priorit \$3 with (node\$1 or (next near hop\$1) or (next near node\$1)) and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:51
S170	15	(re near priorit\$3) with (route\$1 or nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 18:41
S171	8	S170 and @ad < "20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 18:41

2/18/08 7:27:52 PM

C:\Documents and Settings\ddoan\My Documents\EAST\Workspaces\10619886.wsp